

Liste de publications évoquées

D'ANDREA S., GUILLOU H., JAN S., CATHELINE D., THIBAUT J-N., BOURIEL M., RIOUX V. and LEGRAND P. (2002) The same rat $\Delta 6$ -desaturase not only acts on 18- but also on 24-carbon fatty acids in very-long-chain polyunsaturated fatty acid biosynthesis. *Biochem. J.* **264**, 49-55.

GUILLOU H., MARTIN P., JAN S., D'ANDREA S., ROULET A., CATHELINE D., RIOUX V., PINEAU T. and LEGRAND P. (2002) Comparative effect of fenofibrate on hepatic desaturases in wild-type and peroxisome proliferator-activated receptor α -deficient mice. *Lipids* **37**, 981-989.

GUILLOU H., RIOUX V., JAN S., CATHELINE D., THIBAUT J-N., BOURIEL M., D'ANDREA S. and LEGRAND P. (2003) Conversion of hexadecanoic acid to hexadecenoic acid by rat $\Delta 6$ -desaturase. *J. Lipid Res.* **44**, 450-454.

GUILLOU H., D'ANDREA S., RIOUX V., JAN S. and LEGRAND P. (2004) The surprising diversity of $\Delta 6$ -desaturase substrates. *Biochem. Soc. Trans.* **32**, 86-87.

GUILLOU H., D'ANDREA S., RIOUX V., BARNOUIN R., DALAINE S., PEDRONO F., JAN S. and LEGRAND P. (2004) Distinct roles of endoplasmic reticulum cytochrome b5 and fused cytochrome b5-like domain for rat $\Delta 6$ -desaturase activity. *J Lipid Res.* **45**, 32-40.

JAN S., GUILLOU H., D'ANDREA S., DAVAL S., BOURIEL M., RIOUX V. and LEGRAND P. (2004) Myristic acid increases $\Delta 6$ -desaturase activity in cultured rat hepatocytes *Reprod. Nutr. Dev.*

LEGRAND P., CATHELINE D., FICHOT M.C. and LEMARCHAL P. (1997) Inhibiting $\Delta 9$ -desaturase activity impairs triacylglycerol secretion in cultured chicken hepatocytes. *J. Nutr.* **127**, 249-256.

LEGRAND P., BOURRE J.M., DESCOMPS B., DURAND G. et RENAUD S. (2001) Les Lipides dans « *Apports Nutritionnels Conseillés pour la population française* », AFSSA-CNERNA, Technique et Documentation Lavoisier Paris, 63-82.

PIGEON C., LEGRAND P., LEROYER P., BOURIEL M., TURLIN B., BRISSOT P. and LOREAL O. (2001) Stearoyl CoenzymeA Desaturase I expression and activity are increased in the liver during iron overload. *Biochim. Biophys. Acta* **1535**, 275-284.

RIOUX V., LEMARCHAL P. and LEGRAND P. (2000) Myristic acid, unlike palmitic acid, is rapidly metabolized in cultured rat hepatocytes. *J. Nutr. Biochem.* **11**, 198-207.

RIOUX V., GALAT A., JAN G., VINCI F., D'ANDREA S. and LEGRAND P. (2002) Exogenous myristic acid acylates proteins in cultured rat hepatocytes. *J. Nutr. Biochem.* **13**, 66-74.

RIOUX V., DAVAL S., GUILLOU H., JAN S. and LEGRAND P. (2003) Although it is rapidly metabolized in cultured rat hepatocytes, lauric acid is used for protein acylation. *Reprod. Nutr. Dev.* **43**, 419-430.

RIOUX V. et LEGRAND P. (2001) Métabolisme et fonctions de l'acide myristique. *OCL-Ol. Corps Gras Lipides* **8**, 161-166.

WEILL P., SCHMITT B., CHESNEAU G., DANIEL N., SAFRAOU F., and LEGRAND P., (2002) Effects of introducing linseed in livestock diet on blood fatty acid composition of consumers of animal products. *Ann. Nutr. Metab.* 46,182-191.